

**Website Resources**

Academy of Neurologic Communication Disorders and Sciences

[www.ancds.org](http://www.ancds.org)

American Congress of Rehabilitation Medicine, Definition of Mild Traumatic Brain Injury:

[http://www.acrm.org/consumer\\_professional/](http://www.acrm.org/consumer_professional/)

Brain Injury Association of America

[www.biausa.org](http://www.biausa.org)

Evidence-based review of moderate to severe ABI

[www.abiebr.com/edumodules/edumodules.html](http://www.abiebr.com/edumodules/edumodules.html)

Guidelines for mild TBI and persistent symptoms

<http://www.onf.org/documents/Guidelines%20for%20Mild%20Traumatic%20Brain%20Injury%20and%20Persistent%20Symptoms.pdf>

Ohio Valley Center for Brain Injury Prevention & Rehabilitation

<http://www.ohiovalley.org/>

Substance Use Brain Injury Bridging Project

<http://www.subi.ca/>

TBI Community

<http://www.tbicommunity.org/resources/podcasts/index.htm>

TBI Control: Web resources from the Mount Sinai School of Medicine

<http://www.mssm.edu/research/centers/traumatic-brain-injury-central/resources/web-resources>

TBI & Head Injury Resource Center

<http://www.brainline.org/>

The Brain from Top to Bottom

<http://thebrain.mcgill.ca/>

### Screening Tools

**BRIEF:** Behavior Rating Inventory of Executive Function

**CASL:** Comprehensive Assessment of Spoken Language

### References

Ashman, T.A., Spielman, L.A., Hibbard, M.R., Silver, J.M., Chandna, T., and Gordon, W.A. (2004). Psychiatric challenges in the first 6 years after traumatic brain injury: Cross-sequential analyses of Axis I disorders. *Archives of Physical Medicine and Rehabilitation*, 85 (4 Suppl 2), S36-S42.

Bogner, J., & Corrigan, J. D. (2009). Reliability and predictive validity of the Ohio State University TBI identification method with prisoners. *The Journal of Head Trauma Rehabilitation*, 24(4), 279-291.

Bremner, A. J., Duke, P. J., Nelson, H. E., Pantelis, C., Barnes, T.R. (1996). Cognitive function and duration of rooflessness in entrants to a hostel for homeless men. *British Journal of Psychiatry*, 169, 434-439.

Brenner, L. A., Vanderploeg, R. D., & Terrio, H. (2009). Assessment and diagnosis of mild traumatic brain injury, posttraumatic stress disorder, and other polytrauma conditions: Burden of adversity hypothesis. *Rehabilitation Psychology*, 54(3), 239-246.

Cantor, J. B., Gordon, W. A., Schwartz, M. E., Charatz, H. J., Ashman, T. A., & Abramowitz, S. (2004). Child and parent responses to a brain injury screening questionnaire. *Archives of Physical Medicine and Rehabilitation*, 85(4 Suppl 2), S54-60.

Colantonio, A., Mar, W., Yoshida, K., Escobar, M., Velikonja, D., Rizoli, S., Cusimano, M., & Cullen, N. (2010). Women's health outcomes after traumatic brain injury. *Journal of Women's Health*, 19(6), 1109-1116.

Consumer Report, Substance abuse and Brain Injury as sited on:

<http://www.brainline.org/content/2008/07/tbi-consumer-report-coping-substance-abuse-after-tbi.html>

Corrigan J. (2005) Substance Abuse : State of the science In: *Rehabilitation for Traumatic Brain Injury*, (ed. High Jr. W, Sander A, Struchen M, Hart K ) 133-155. Oxford Press, New York.

Corrigan, J. D., & Bogner, J. (2007a). Initial reliability and validity of the Ohio State University TBI identification method. *Journal of Head Trauma Rehabilitation*, 22(6), 318-329.

Corrigan, J.D. & Bogner, J. (2007b). Interventions to promote retention in substance abuse treatment. *Brain Injury*, 21(4) 343-356.

Corrigan, J. D., & Bogner, J. (2007c). Screening and identification of TBI. *Journal of Head Trauma Rehabilitation*, 22(6), 315-317.

Corrigan, J. D. and Deutschle J. (2008) The presence and impact of traumatic brain injury among clients in treatment for co-occurring mental illness and substance abuse, *Brain Injury*, 22(3), 223-231.

Dahlberg, C. A., Cusick, C. P., Hawley, L. A., Newman, J. K., Morey, C. E., Harrison-Felix, C. L., & Whiteneck, G. G. (2007). Treatment efficacy of social communication skills training after traumatic brain injury: A randomized treatment and deferred treatment controlled trial. *Archives of Physical Medicine and Rehabilitation*, 88(12), 1561-1573.

Feeney, T., Ylvisaker, M., Rosen, B. & Green, P. (2001). Community supports for individuals with challenging behaviour after brain injury: An analysis of the New York State Behavioural Response Project. *Journal of Head Trauma Rehabilitation*, Feb. 2001, 16(1): 61-75.

Gonzalez, E. A., Dieter, J. N. I., Natale, R. A., & Tanner, S. L. (2001). Neuropsychological evaluation of higher functioning homeless persons: A comparison of an abbreviated test battery to the mini-mental state exam. *The Journal of Nervous and Mental Disease*, 189(3), 176-181.

Graham, D.P. , Cardon, A. L. (2008). An Update on Substance Use and Treatment following Traumatic Brain Injury. *Annals of the New York Academy of Sciences*, 1141, 148-162.

Heinemann, A.W., Corrigan, J.D. & Moore, D. (2004). Case Management for Traumatic Brain Injury Survivors with Alcohol Problems. *Rehabilitation Psychology*, 49(2): 156-166.

Highley, J. L., & Proffitt, B. J. (2008). *Traumatic brain injury among homeless persons: Etiology, prevalence and severity*. Nashville: Health Care for the Homeless Clinicians' Network, National Health Care for the Homeless Council Inc.

Hux, K., Schneider, T., & Bennett, K. (2009). Screening for traumatic brain injury. *Brain Injury*, 23(1), 8-14.

Hwang, S. W., Colantonio, A., Chiu, S., Tolomiczenko, G., Kiss, A., Cowan, L., Redelmeier, D., & Levinson, W. (2008). The effect of traumatic brain injury on the health of homeless people. *Canadian Medical Association Journal*, 179(8), 779-784.

Kay, T., Harrington, D. E., & the Mild Traumatic Brain Injury Committee of the Head Injury-ISISG, ACRM. (1993). Definition of mild traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 8(3), 86-87

Lafferty, B. (2010). Traumatic brain injury: A factor in the causal pathway to homelessness? *Journal for Nurse Practitioners*, 6(5), 358-362.

Macdonald, S., & Wiseman-Hakes, C. (2010). Knowledge translation in ABI rehabilitation: A model for consolidating and applying the evidence for cognitive-communication interventions. *Brain Injury*, 24 (3), 486-508.

MacLennan, D. L., Cornis-Pop, M., Picon-Nieto, M., & Sigford, B. (2002). The prevalence of pragmatic communication impairments in traumatic brain injury. *Premier Outlook*, 3(4), 38-45. Available from [http://www.premier-outlook.com/winter\\_2002/prevalance\\_pragmatic\\_communication.html](http://www.premier-outlook.com/winter_2002/prevalance_pragmatic_communication.html)

McKay, C., Wertheimer, J. C., Fichtenberg, N. L., Casey, J. E. (2008). The repeatable battery for the assessment of neuropsychological status (RBANS): clinical utility in a traumatic brain injury sample. *Clinical Neuropsychologist*, 22(2), 228-241.

Picard M, Scarisbrick D, Paluck R. (1991). *HELPS brain injury screening tool*. New York: International Center for the Disabled, TBI-NET, US Department of Education, Rehabilitation Services Administration.

Ponsford J. , Whelan-Goodinson R. Bahar-Fuchs A. (2007). Alcohol and drug use following traumatic brain injury: a prospective study. *Brain Injury*, 21(13-14):1385-92.

Sarris, D. (2010, September 22). It takes a village, ABI homeless outreach. Paper presented at the 2010 Brain Injury Association of Canada Conference. Available from <http://biac-aclc.ca/en/2010/10/04/biac-2010-conference-presentations/>

Solliday-McRoy, S., Campbell, T. C., Melchert, T. P., Young, T. J., & Cisler, R. A. (2004). Neuropsychological functioning of homeless men. *The Journal of Nervous and Mental Disease*, 192(7), 471-478.

Togher, L., McDonald S., Code, C. & Grant, S. (2004). Training communication partners of people with traumatic brain injury: A randomised controlled trial . *Aphasiology*, 18(4) 313-335.

Vasilevskis, E. E., Pandharipande, P. P., Girard, T. D., & Ely, E. W. (2010). A screening, prevention, and restoration model for saving the injured brain in intensive care unit survivors. *Critical Care Medicine*, 38(10 Suppl), S683-S691.

Waldmann, C. A. (2004). Traumatic brain injury (TBI). In: J. J. O'Connell (Ed.). *The health of homeless persons: A manual of communicable disease and common problems in shelters and on the streets* (pp. 237-241). Boston: Boston Health Care for the Homeless.

Waldmann, C., Roncarti, J., Swain, S., & Geliga, J. (2007). Traumatic brain injury in the homeless population: Incidence and impact. Paper presented at the American Public Health Association 135th Annual Meeting and Expo. Washington, DC.

Willer, B., & Corrigan, J. (1994). Whatever it takes: A model for community-based services. *Brain Injury*, 8, 647-659.